

## Espaliers<sup>1</sup>

Sydney Park Brown, Thomas H. Yeager, and Robert J. Black<sup>2</sup>



Figure 1. Espaliered pear tree (*Pyrus communis*), in the garden of the Cloisters in upper Manhattan. Credits: © 2004 Matthew Trump, CC BY-SA 3.0

An "espalier," (pronounced "es-PAL-yer" or "es-pal-YAY") is any plant trained to grow in a flat plane against a wall, fence, or trellis. The word *espalier* also may be used to describe the technique of training a plant to this flat plane. The Romans originated the technique, but later generations of Europeans refined it into an exacting but rewarding art.

Espalier has considerable merit in today's garden. The practice originally was used in the old world to conserve space. The English located espaliered fruit trees against a wall with a southern exposure for cold protection. Today,

espaliers are used mostly for decorative accents in the landscape.

An espalier is a living sculpture in the garden and is especially effective against a blank wall to a substitute for a monotonous row of shrubs. An espalier is also a good choice for a narrow area where spreading shrubs or trees cannot be easily maintained. With landscape spaces becoming smaller around homes, an espaliered plant may have considerable appeal. More than one espalier design is seldom used in a given landscape.

## **From Ornamentals to Espaliers**

Almost any plant can be espaliered by continually directing growth along a flat plane and removing growth in undesired directions. Some plants are particularly suitable as espaliers. Plants that produce many flexible lateral branches and attractive flowers, fruit, and foliage and/or bark are excellent choices for espaliers. The plants listed in Tables 1-3 are only suggestions and are not intended to be inclusive. Other plants are worth trying, and may prove to be equal to, if not better than, those listed.

## **Selecting an Espalier Pattern**

The choice of a pattern for an espalier greatly influences plant selection and maintenance. Many plant species are suited for informal or free-form patterns, but only a few are suited to formal, symmetrical shapes. Tables 1, 2, and 3 suggest plants suited for formal patterns. Before purchasing

- 1. This document is Circular 627, Department of Environmental Horticulture, UF/IFAS Extension. First published: May 1985. Revised May 1993, June 2004, September 2007 and November 2013. Please visit the EDIS website at http://edis.ifas.ufl.edu.
- Sydney Park Brown, associate professor and consumer horticulture specialist, UF/IFAS Gulf Coast REC, Plant City FL 33563; Thomas H. Yeager, professor, woody ornamental specialist; and Robert J. Black, professor emeritus, Department of Environmental Horticulture, UF/IFAS Extension, Gainesville FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office.

U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A & M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Nick T. Place, dean for UF/IFAS Extension.

a plant, make a sketch of your espalier pattern and ask a knowledgeable nursery, a horticulturist, or your county Extension office for help in selecting a plant that can be trained to this pattern.

Espaliers can be difficult to train and require many hours of maintenance. Pre-trained espaliers are available in the nursery trade and make it easier and faster for the average gardener to have an elaborate espalier.

The formal patterns illustrated below are for those people who like to clip and prune.

#### **Formal Patterns**




Figure 2. Old espalier forms. Credits: Giancarlo Dessi (CC BY-SA 3.0)




Figure 3. Regular espalier with horizontal branches. Credits: Giancarlo Dessi (CC BY-SA 3.0)




Figure 4. Apple or pear tree in regular espalier with upward-slanting branches.

Credits: Giancarlo Dessi (CC BY-SA 3.0)

### **Informal Patterns**

There are no strict guidelines when developing an informal pattern. Plants can be allowed to grow into their natural shapes or they can be trained into free-form designs limited only by imagination and pruning skills. Informal espaliers usually do not require the kind of supporting framework given to formal patterns; however, most need some means of support, at least until they are established.

## **Supporting Espaliers**

Formal espaliers usually need a trellis or some other framework for support. The framework also provides a guide for training branches and serves to create the illusion of a complete espalier long before a plant is trained to a particular pattern. Wooden trellises should be constructed of rot-resistant woods such as cypress, cedar, redwood, or pressure-treated lumber. The support framework should be placed next to a wall or fence before installing the plant to be espaliered. When an espalier serves as a screen, construct a free-standing support framework consisting of sturdy terminal posts with wires stretched taut between them.

Most informal and some formal espaliers are grown against walls without a supporting framework. In these instances it is advisable to keep the plant 6 to 8 inches (15.2 to 20.3 cm) from a wall. This is particularly important on wooden walls where good air circulation helps prevent mildew, staining, and decaying of wooden siding. The space also facilitates training (tying, pruning, etc.), spraying for pests, and maintenance of the building (painting). Finally, leaving space creates interesting shadow patterns that add depth

and interest to the espalier. Eye bolts may be used to attach a plant 6 to 8 inches (15.2 to 20.3 cm) from a wall.

Attach plants directly to masonry walls with anchoring devices such as masonry staples or concrete nails. Zinc or plastic anchors may be placed in mortared joints between concrete blocks or bricks and eye screws inserted. You may also glue vine ties (small discs with a short wire embedded) to masonry or wooden walls. These discs are easy to install but are suitable only for small specimens and are not as permanent as devices anchored in a wall. If vine ties are used, the ties should be loosened periodically to prevent the wire from girdling a branch.

## **Planting and Training Espaliers**

Once you have selected a plant, pattern and support framework, the next step is plant installation. Plants to be espaliered should be planted 6 to 8 inches (15.2 to 20.3 cm) from the wall or support framework in well-drained soil. Often, the soil at the base of a wall contains building debris such as concrete or stucco which should be removed and replaced with a better soil containing organic matter such as peat, compost or manure.

Dig a hole one foot (30.4 cm) wider than the root ball of the plant. Backfill the hole with enough soil so that the plant sits in the hole with top of the root ball level with the top of the hole. Firm the soil in the bottom of the hole to prevent settling. Gently place the plant straight in the hole and fill around the roots with soil. Water thoroughly while planting to remove air pockets. Apply a 2- to 3-inch organic mulch to conserve moisture and help to control weeds.

The training technique used will depend on the pattern selected and the number of laterals on the plant. If you are following a design, carefully bend the branches into the desired positions and tie them into place. Remove all unwanted laterals or branches. If a design with a dominant main shoot is used, do not cut the top of the main shoot until the desired height is reached. A design with pronounced lateral growth, such as one of the cordon or U-shaped patterns requires that the terminal be cut at the level of the first cordon, usually 15 to 18 inches (0.4 to 0.5 m) from the ground. If no special design is desired, the branches may be tied in their natural positions as long as no branches cross.

# **General Care Pruning**

To maintain an espalier, prune and tie new shoots to conform to the pattern. Prune all stray branches that grow

outward at right angles to the flat surface and those that grow beyond the boundaries of the desired pattern. Be careful to prune flowering shrubs and trees during the proper season.

#### **Fertilization**

In addition to regular pruning and tying, fertilization is an important aspect of espalier culture. During the early stages of an espalier, rapid growth may be encouraged with applications of 12-4-8 or similar fertilizer at 1 pound (454g) per 100 square feet (10m²) every 3 months. After an espalier has grown into a desired pattern, fertilization should be reduced to applications in the spring and fall. This fertilization schedule will maintain healthy foliage without encouraging excessive growth and maintenance.

#### **Diseases and Insects**

Espaliered plants may be prone to disease and insect problems due to the lack of air circulation around them. Carefully monitor plants for early signs of problems. Diagnostic information and management recommendations are available from your county UF/IFAS Extension office:

Table 1. Suggested Trees for Espaliers

Botanical name Common Name	Section of State <sup>1</sup>	Leaf Persistence	Light Requirements	Basic Pattern
<i>Cercis canadensis</i> Red bud	N-C	Deciduous	Full sun / partial shade	Informal
Comment: Rose flowers in ear	rly spring.			
Citrus spp. Citrus	C-S	Evergreen	Full sun	Informal
Comment: White, fragrant flo	wers in spring and col	orful fruit in fall or wint	er.	
<i>Coccoloba uvifera</i> Sea grape	S	Evergreen	Full sun / partial shade	Formal / informal
Comment: Large evergreen le	eaves and small purple	e fruit.		
<i>Eriobotrya japonica</i> Loquat	N-C-S	Evergreen	Full sun	Formal / informal
Comment: White, fragrant flo	wers in winter and yel	llow fruit in spring.		
<i>Lagerstroemia indica</i> Crape myrtle	N-C-S	Deciduous	Full sun	Informal
Comment: White, pink, red or	purple flowers in late	spring and early summ	ner; attractive, sculptured branch	nes and mottled bark.
<i>llex spp.</i> Hollies	N-C-S	Evergreen	Full sun	Formal
Comment: Many species are s	uitable depending or	n the size desired. Red b	perries in the fall/winter on femal	le plants.
Magnolia grandiflora	N-C	Evergreen	Full sun	Formal/informal
<b>Comment:</b> Leaves are large, g are available.	lossy dark green with	brown pubescence und	derneath. Smaller-leaved cultiva	rs, such as 'Little Gem' and others
<i>Malus</i> spp. Apple, southern crabapple	N	Deciduous	Full sun	Formal / informal
Comment: Pink, fragrant flow	ers borne in profusion	n in early spring.		
<i>Prunus</i> spp. Peach, nectarine, plum	N	Deciduous	Full sun	Formal / informal
Comment: Flowers in spring a	and fruit in summer.		·	
<sup>1</sup> N = north Florida (Pensacola south Florida (Stuart to Ft. My			ral Florida (Leesburg south to Pu state	nta Gorda and Fort Pierce); S =

#### Table 2. Suggested Shrubs for Espaliers

<i>Botanical name</i> Common Name	Section of State <sup>1</sup>	Leaf Persistence	Light Requirements	Basic Pattern
Camellia japonica and C. sasanqua Camellias	N-C	Evergreen	Partial shade	Formal / informal
<b>Comment:</b> Wide variety of flower for of <i>C. japonica</i> bloom in the winter a		sanqua and early varietie	es <i>C. japonica</i> bloom in the fall; Mic	d-and late-season varieties
Carissa grandiflora Natal plum	C-S	Evergreen	Full sun / partial shade	Informal
Comment: White flowers in spring	and attractive, scarlet	fruit in summer.		
<i>Gardenia jasminoides</i> Gardenia	N-C-S	Evergreen	Full sun / partial shade	Informal
<b>Comment:</b> White, fragrant flowers central and south Florida for resista		nd sooty mold are major	problems; should be grafted on	G. thunbergia rootstock in
<i>Juniperus</i> spp. Juniper	N-C-S	Evergreen	Full sun	Formal or informal
Comment: Hundreds of cultivars a	e available in many s	hades of green, blue, and	d gray. Need well-drained soils; ve	ry heat and drought tolera
<i>Ligustrum japonicum</i> Ligustrum	N-C-S	Evergreen	Full sun / partial shade	Informal
Comment: White, small, odorous fl	owers in spring.			
<i>Photinia glabra</i> Redtip photinia	N	Evergreen	Full sun	Informal
Comment: Photinia x fraseri is an ex	cellent hybrid. Leaf s	pots are often an unsight	tly problem.	
Podocarpus spp.	N-C-S	Evergreen	Full sun	Formal / informal
<b>Comment:</b> Both the weeping pode grown in south Florida and protect			table for espaliers. <i>P. gracilior</i> is co	old tender and can only be
<i>Pyracantha coccinea</i> Pyracantha	N-C-S	Evergreen	Full sun	Formal / informal
Comment: White flowers in spring	followed by orange-r	ed berries in fall and win	ter.	
<sup>1</sup> N = north Florida (Pensacola to Jac south Florida (Stuart to Ft. Myers ar			ida (Leesburg south to Punta Gord	da and Fort Pierce); S =

## Table 3. A Few Suggested Vines for Espaliers. For others, see EDIS publication CIR860, "Flowering Vines for Florida."

Botanical name Common Name¹	Section of State <sup>2</sup>	Leaf Persistence	Light Requirements	Basic Pattern
Allamanda cathartica Allamanda	C-S	Evergreen	Full sun	Informal
Comment: Large, yellow, trumpe	t-shaped flowers througho	ut most of the year in so	uth Florida.	
Ficus pumila Climbing or creeping fig	N-C-S	Evergreen	Full sun / partial shade	Informal
Comment: Clings by aerial rootle	ts; should be used only on	masonry walls.		
<i>Trachelospermum jasminoides</i> Confederate jasmine	N-C-S	Evergreen	Full sun / partial shade	Informal
Comment: White, fragrant, star-sl	naped flowers in bloom fro	m April to May.		
<sup>1</sup> For others, see EDIS publication (	CIR860, "Flowering Vines for	r Florida"		