

INSECTA MUNDI

A Journal of World Insect Systematics

0343

Oxyomus mariateresae new species of Mexican Aphodiini
(Coleoptera: Scarabaeidae: Aphodiinae)

Marco Dellacasa
Museo di Storia Naturale
Università di Pisa
Via Roma, 79
I-56011 Calci (Pisa), Italy

Giovanni Dellacasa
Via Talamone 31/19
I-16127 Genoa, Italy

Robert D. Gordon
Northern Plains Entomology
P.O. Box 65
Willow City, ND 58384 USA

Date of Issue: January 31, 2014

Marco Dellacasa, Giovanni Dellacasa, and Robert D. Gordon
Oxyomus mariateresae new species of Mexican Aphodiini (Coleoptera: Scarabaeidae:
Aphodiinae)
Insecta Mundi 0343: 1-3

ZooBank Registered: urn:lsid:zoobank.org:pub:652ECCDC-093B-48B7-8FF9-B5B1BD6F754D

Published in 2014 by

Center for Systematic Entomology, Inc.
P. O. Box 141874
Gainesville, FL 32614-1874 USA
<http://centerforsystematicentomology.org/>

Insecta Mundi is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

Insecta Mundi is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology. Manuscript preparation guidelines are available at the CSE website.

Managing editor: Eugenio H. Nearn, e-mail: gino@nearns.com

Production editors: Michael C. Thomas, Paul E. Skelley, Brian Armitage, Ian Stocks, Eugenio H. Nearn

Editorial board: J. H. Frank, M. J. Paulsen

Subject editors: G.B. Edwards, Joe Eger, A. Rasmussen, Gary Steck, Ian Stocks, A. Van Pelt, Jennifer M. Zaspel, Nathan P. Lord, Adam Brunke

Spanish editors: Julieta Brambila, Angélico Asenjo

Website coordinator: Eugenio H. Nearn

Printed copies (ISSN 0749-6737) annually deposited in libraries:

CSIRO, Canberra, ACT, Australia
Museu de Zoologia, São Paulo, Brazil
Agriculture and Agrifood Canada, Ottawa, ON, Canada
The Natural History Museum, London, Great Britain
Muzeum i Instytut Zoologii PAN, Warsaw, Poland
National Taiwan University, Taipei, Taiwan
California Academy of Sciences, San Francisco, CA, USA
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA
Field Museum of Natural History, Chicago, IL, USA
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA
Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

Electronic copies (On-Line ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

Author instructions available on the *Insecta Mundi* page at:

<http://centerforsystematicentomology.org/insectamundi/>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Oxyomus mariateresae new species of Mexican Aphodiini
(Coleoptera: Scarabaeidae: Aphodiinae)

Marco Dellacasa

Museo di Storia Naturale, Università di Pisa
Via Roma, 79
I-56011 Calci (Pisa), Italy
dellacasa@museo.unipi.it

Giovanni Dellacasa

Via Talamone 31/19
I-16127 Genoa, Italy
dellacasag@alice.it

Robert D. Gordon

Northern Plains Entomology
P.O. Box 65
Willow City, ND 58384 USA
rdgordon@utma.com

Abstract. The new species *Oxyomus mariateresae* from Mexico (Oaxaca) is described and figured.

Key Words. Systematics, *Oxyomus mariateresae*, new species, Mexico, Aphodiinae

Introduction

This work belongs to a series of papers describing new taxa in preparation for a systematic revision of Mexican Aphodiinae (Coleoptera Scarabaeidae). The sole species of genus *Oxyomus* Dejean, 1833, previously known from Mexico was *O. setosopunctatus* Schmidt, 1911 that was already redescribed and figured by Dellacasa and Stebnicka (2001).

Key to American species of *Oxyomus*:

1. Upperside glabrous. Blackish or brown blackish; sometimes elytra reddish. Length 3.0–4.0 mm. Europe, Mediterranean Africa, southwestern Asia, North America ***O. sylvestris* (Scopoli)**
- Upperside more or less diffusely pubescent **2**
2. Elytral striae catenulate; interstriae with two median longitudinal rows of short yellowish recumbent setae; fore tibiae spur, in males, inwardly curved apically. Dark brownish-grey. Length 3.0–4.0 mm. Mexico (Oaxaca) ***O. mariateresae* new species**
- Elytral striae foveolate; interstriae with one median longitudinal row of short yellowish recumbent setae; fore tibiae spur, in males, straight. Blackish, in some specimens elytra dirty brownish. Length 2.5–3.5 mm. Mexico (Hidalgo, México, Puebla, Veracruz) ***O. setosopunctatus* Schmidt**

Materials and Methods

Terminology used in this work to describe morpho-anatomical features follows that of Dellacasa et al. (2001). Materials studied are in the following collections:

- DCGI — Dellacasa Collection, Genoa, Italy
FSCA — Florida State Collection of Arthropods, Gainesville, FL, USA

***Oxyomus mariateresae* new species**

(Figures 1–5)

Type locality. Llano de las Flores, 17°26'37.1"N-096°30'13.2"W, Oaxaca, Mexico.**Type repository.** Dellacasa collection, Genoa, Italy.**Description.** Length 3.0–4.0 mm, oblong, convex, almost dull, pubescent. Dark brownish-grey, anterior angles of pronotum and legs dark brown; antennal club blackish. Head with epistome moderately convex medially, alutaceous, laterally evenly coarsely not very closely punctured; punctures cariose and those toward genae near imperceptibly haired; clypeus feebly sinuate at middle, round at sides, rather thickly bordered, edge anteriorly slightly reflexed, glabrous; genae obtusely round, sparsely ciliate, protruding from eyes; frontal suture finely impressed, somewhat raised at each side and at middle; front widely alutaceous, evenly coarsely punctured. Pronotum transverse, convex, faintly foveolate, longitudinally at middle and obliquely on each side, strongly alutaceous, evenly densely coarsely and somewhat irregularly punctured; punctures umbilicate, cariose, each one with rather short recumbent seta; lateral margins feebly arcuate, somewhat tapered before hind angles, thickly bordered, edge glabrous; hind angles well defined, obtuse; base moderately bisinuate, finely bordered, edge crenulate. Scutellum sunken, alutaceous, superficially confusedly punctured. Elytra moderately convex, feebly widened posteriorly, with deep narrow striae, catenulate on disc, strongly crenulate; interstriae alutaceous, convex, subcarinate medially, densely, coarsely confusedly punctured and with two median longitudinal rows of short yellowish recumbent setae. Hind tibial superior spur as long as first tarsal segment; latter nearly as long as following three combined. Male: fore tibiae spur stout and inwardly curved apically; aedeagus Fig. 2–3. Female: fore tibial spur slender, acuminate and almost straight.**Type material. MEXICO: Oaxaca:** Llano de las Flores, 17°26'37.1"N-096°30'13.2"W, Carretera Tuxtepec, Oaxaca; m 2600, 01.XII.2003, leg. Martínez I. & M.T. Suarez (**holotype**, male, and **allotype** DCGI; 1 **paratype**, male FSCA); Las Cumbres, Carretera Zachila, San Miguel Peras, m 2500, 05.VIII.2000, leg. Martínez I. & Reyes-Castillo P. (1 **paratype**, male DCGI).**Distribution.** Mexico (Oaxaca).**Etymology.** Named in honor of one of its collectors, Maria Teresa Suarez, of Instituto de Ecologia, Xalapa, Veracruz, Mexico.**Biology.** Almost unknown; the few specimens of the type series were collected in August and in December.**Acknowledgments**

Thanks are due to P. Bordat (Lagasse, Saint-Cirq) and to T. Branco (Porto) for critical review of the manuscript.

Literature Cited

- Dellacasa, G., P. Bordat, and M. Dellacasa. 2001. A revisional essay of world genus-group taxa of Aphodiinae. *Memorie della Società Entomologica Italiana* [2000] 79: 1–482.
- Dellacasa M., and Z. Stebnicka. 2001. A new genus for *Oxyomus morosus* Harold, 1869 (Eupariini) and redefinition of *Oxyomus setosopunctatus* A. Schmidt, 1911 (Aphodiini). *Acta Zoologica Mexicana* (nueva serie) 83: 29–34.

Received November 24, 2013; Accepted January 6, 2014.




Figure 1–5. *Oxyomus mariateresae*, new species (Llano de las Flores, Oaxaca, Mexico). 1) Epipharynx. 2–3) Aedeagus (dorsal and lateral view). 4–5) Habitus (length ideogram and morphological details).

