

CUMULATIVE INDEX OF AUTHORS  
SELBYANA VOLUMES 1-10

compiled by:

E. A. CHRISTENSON

The Marie Selby Botanical Gardens, 811 South Palm Avenue,  
Sarasota, Florida 34236

- ACKERMAN, J. D. 1979. *Dodsonia*, a new Ecuadorian genus of the Zygopetalinae (Orchidaceae). 5(2): 116-119.
- . 1981. Two new species of the *Chondrorhyncha* complex (Orchidaceae). 5(3-4): 297-301.
- . 1986. Coping with the epiphytic existence: pollination strategies. 9(1): 52-60.
- AND A. M. MONTALVO. 1986. Two new species of *Epidendrum* with lateral inflorescences. 9(1): 126-129.
- ADAMS, W. W. AND C. E. MARTIN. 1986. Heterophylly and its relevance to evolution within the Tillandsioideae. 9(1): 121-125.
- ATWOOD, J. T. 1978. A new species of *Mormolyca* Fenzl (Orchidaceae) from Bolivia. 2(4): 343-344.
- . 1981. Two new species of *Maxillaria* from Nicaragua (Orchidaceae). 5(3-4): 302-305.
- . 1984. The relationships of the slipper orchids (subfamily Cypripedioideae). 7(2-4): 129-247.
- . 1984. Two new species of the *Maxillaria notylioglossa* Rchb. f. complex from Bolivia. 7(2-4): 248-251.
- . 1986. The size of the Orchidaceae and the systematic distribution of epiphytic orchids. 9(1): 171-186.
- . 1988. A new species and new combination of Costa Rican Orchidaceae. 10(1): 60-62.
- . 1988. The vascular flora of La Selva Biological Station, Costa Rica: Orchidaceae. 10(1): 76-145.
- AND N. H. WILLIAMS. 1978. The utility of epidermal cell features in *Phragmipedium* and *Paphiopedilum* (Orchidaceae) for determining sterile specimens. 2(4): 356-366.
- BALOGH, P. 1982. *Rhizanthella* R. S. Rogers, a misunderstood genus (Orchidaceae). 7(1): 27-33.
- BARNEY, R. C. 1977. A new species of *Odontocarya* (Menispermaceae) from Ecuador. 2(1): 47-48.
- BATCHELLER, F. N. 1978. × *Heppimenes*, a new intergeneric hybrid in the Gesneriaceae. 2(2-3): 323-324.
- BEAUFORT-MURPHY, H. T. 1983. The seed surface morphology of the Gesneriaceae utilizing the scanning electron microscope and a new system for diagnosing seed morphology. 6(1-4): 220-422.
- . 1984. Shoot and root formation obtained on selected species of the Gesneriaceae through tissue-culture. 7(2-4): 274-280.
- BENNETT, B. C. 1986. Patchiness, diversity, and abundance relationships of vascular epiphytes. 9(1): 70-75.
- BENZING, D. H. 1976. Bromeliad trichomes: structure, function, and ecological significance. 1(4): 330-348.
- . 1978. The nutritional status of three *Encyclia tampensis* (Orchidaceae) populations in southern Florida as compared with that of *Tillandsia circinnata* (Bromeliaceae). 2(2-3): 224-229.
- . 1978. The life history profile of *Tillandsia circinnata* (Bromeliaceae) and the rarity of extreme epiphytism among the angiosperms. 2(4): 325-337.
- . 1978. Germination and early establishment of *Tillandsia circinnata* Schlecht. (Bromeliaceae) on some of its hosts and other supports in southern Florida. 5(1): 95-106.
- . 1979. Alternative interpretations for the evidence that certain orchids and bromeliads act as shoot parasites. 5(2): 135-144.
- . 1981. Mineral nutrition of epiphytes: an appraisal of adaptive features. 5(3-4): 219-223.
- . 1981. Why is the Orchidaceae so large, its seeds so small, and its seedlings mycotrophic? 5(3-4): 241-242.
- . 1981. Bark surfaces and the origin and maintenance of diversity among angiosperm epiphytes: a hypothesis. 5(3-4): 248-255.
- . 1981. The population dynamics of *Tillandsia circinnata* (Bromeliaceae): cypress crown colonies in southern Florida. 5(3-4): 256-263.
- . 1986. The vegetative basis of vascular epiphytism. 9(1): 23-43.
- , A. BENT, D. MOSCOW, G. PETERSON, AND A. RENFROW. 1982. Functional correlates of deciduousness in *Catsetum integerrimum* (Orchidaceae). 7(1): 1-9.
- AND W. E. FRIEDMAN. 1981. Patterns of foliar pigmentation in Bromeliaceae and their adaptive significance. 5(3-4): 224-240.
- AND ———. 1981. Mycotrophy: its occurrence and possible significance among epiphytic Orchidaceae. 5(3-4): 243-247.
- AND J. SEEMAN. 1978. Nutritional piracy and host decline: a new perspective on the epiphyte-host relationship. 2(2-3): 133-148.
- BROWN, G. K. AND A. J. GILMARTIN. 1986. Chromosomes of the Bromeliaceae. 9(1): 88-93.
- [BURNS-]BALOGH, P. 1984. *Rhizanthella* R. S. Rogers, a misunderstood genus (Orchidaceae). 7(1): 27-33.
- BURNS-BALOGH, P. 1984. Classification of the tribe Diurideae (Orchidaceae) I: subtribe Prasophyllinae Schlechter. 7(2-4): 318-327.
- AND M. S. FOSTER. 1984. A new species of

- Sarcoglottis* (Orchidaceae) from Paraguay. 7(2-4): 359-360; 9(1): 189-190. 1986.
- CHASE, M. W. 1988. Obligate twig epiphytism in the Oncidiinae and other neotropical orchids. 10(1): 24-30.
- CHRISTENSON, E. A. 1986. Nomenclatural changes in the Orchidaceae subtribe Sarcanthinae. 9(1): 167-170.
- . 1988. Type material of Stolz's African Orchidaceae conserved at the Naturhistoriska Riksmuseet, Stockholm (S). 10(1): 63-64.
- . 1988. Schlechter's Asian collections of Orchidaceae conserved at the Swedish Museum of Natural History, Stockholm (S) and the National Museum, Prague (PR). 10(1): 65-72.
- COCHRANE, T. S. 1977. *Podandrogynne brevipedunculata* (Capparidaceae), a new species from Ecuador. 2(1): 32-36.
- CROAT, T. B. 1975. A new species of *Dracontium* (Araceae) from Panama. 1(2): 168-171.
- . 1976. Studies in Araceae I: section *Leptanthurium* Schott: the *Anthurium gracile-friedrichsthalianum* complex of Central and South America. 1(4): 357-364.
- . 1981. Studies in Araceae III: new species of *Anthurium* from Central America. 5(3-4): 315-341.
- . 1986. The distribution of *Anthurium* (Araceae) in Mexico, Middle America, and Panama. 9(1): 94-99.
- AND R. A. BAKER. 1978. Studies in Araceae II: *Anthurium* section *Polyphyllum*. 2(2-3): 230-238.
- CROW, G. E., D. I. RIVERA, AND C. CHARPENTIER. 1988. Aquatic vascular plants of two Costa Rican ponds. 10(1): 31-35.
- D'ARCY, W. G. 1977. A new species of *Solanum* from Ecuador. 2(1): 63-64.
- DETERMANN, R. O. 1981. A new species of *Quekettia* from Surinam (Orchidaceae). 5(3-4): 306-307.
- . 1982. A new species of *Scelochilus* (Orchidaceae) from French Guyana. 7(1): 88-89.
- DODSON, C. H. 1975. Clarification of some nomenclature in the genus *Stanhopea* (Orchidaceae). 1(1): 46-55.
- . 1975. Orchids of Ecuador: *Stanhopea*. 1(2): 114-129.
- . 1975. *Dressleria* and *Clowesia*: a new genus and an old one revived in the Catasetinae (Orchidaceae) 1(2): 130-137.
- . 1977. New orchids from western Ecuador. 2(1): 48-56.
- . 1978. Three new South American species of *Catasetum* (Orchidaceae). 2(2-3): 156-158.
- . 1978. The catasetums (Orchidaceae) of Takapuma, Guyana. 2(2-3): 159-168.
- . 1978. Two new orchids from Rio Palenque, Ecuador. 2(2-3): 289-290.
- . 1984. Corrections of identifications in *Icones Plantarum Tropicarum*, plates 001-1000. 7(2-4): 354-358.
- AND A. H. GENTRY. 1977. *Epiphyllum phyllanthus* (L.) Haw. (Cactaceae) and its allies in Ecuador. 2(1): 30-31.
- AND ———. 1977. New species in the Urticaceae and Sapindaceae from the Rio Palenque Science Center, Ecuador. 2(1): 64-66.
- AND ———. 1978. Heliconias (Musaceae) of the Rio Palenque Science Center, Ecuador. 2(2-3): 291-299.
- AND ———. 1978. Flora of the Rio Palenque Science Center, Los Rios Province, Ecuador. 4(1-6): 1-628.
- , ———, AND F. M. VALVERDE. 1986. Flora of Juaneche, Los Rios, Ecuador. 8(1-4): 1-512.
- AND C. A. LUER. 1975. A new *Oncidium* from Bolivia (Orchidaceae). 1(1): 44-45.
- DRESSLER, R. L. 1978. Two noteworthy ornamentals from the Caribbean coast of Panama. 2(2-3): 300-302.
- . 1978. The subfamilies of the Orchidaceae. 5(2): 197-206.
- DUNSTERVILLE, G. C. K. 1978. A new species of *Pleurothallis* from Venezuela (Orchidaceae). 2(2-3): 210-211.
- DWYER, J. D. 1977. New species of *Cephaelis* and *Gonzalagunia* from Ecuador (Rubiaceae). 2(1): 57-59.
- GARDNER, C. S. 1978. A new species of *Tillandsia* L. from Mexico. 2(4): 338-339.
- . 1984. New species and nomenclatural changes in Mexican *Tillandsia*: I. 7(2-4): 361-379.
- . 1984. Natural hybridization in *Tillandsia* subgenus *Tillandsia*. 7(2-4): 380-393.
- . 1986. Inferences about pollination in *Tillandsia* (Bromeliaceae). 9(1): 76-87.
- . 1986. Preliminary classification of *Tillandsia* based on floral characters. 9(1): 130-146.
- GENTRY, A. H. 1977. New species of Leguminosae, Lauraceae, and Monimiaceae, and new combinations in Bignoniaceae from western Ecuador. 2(1): 39-45.
- GILMARTIN, A. J. 1981. A new species of *Aechmea* from Ecuador (Bromeliaceae). 5(3-4): 308-309.
- GREGG, K. B. 1975. The effect of light intensity on sex expression in species of *Cynoches* and *Catasetum* (Orchidaceae). 1(2): 101-113.
- . 1978. The interaction of light intensity, plant size and nutrition in sex expression in *Cynoches* (Orchidaceae). 2(2-3): 212-223.
- HAMMEL, B. E. 1986. New species of Clusiaceae from Central America with notes on *Clusia* and synonymy in the tribe Clusiaceae. 9(1): 112-120.
- . 1986. Characteristics and phylogeographical analysis of a subset of the flora of La Selva (Costa Rica). 9(1): 140-155.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Cecropiaceae. 9(1): 192-195.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Cyclanthaceae. 9(1): 196-202.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Guttiferaceae. 9(1): 203-217.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Lauraceae. 9(1): 218-233.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Marantaceae. 9(1): 234-242.

- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Moraceae. 9(1): 243–259.
- ILTIS, H. H. 1978. Studies in the Capparidaceae XIV: *Capparis ecuadorica*, a new species. 2(2–3): 303–307.
- KAASTRA, R. C. AND A. H. GENTRY. 1978. A new *Erythrochiton* (Rutaceae) from Ecuador. 2(2–3): 287–288.
- KENNEDY, H. 1977. A new *Calathea* (Marantaceae) from Ecuador. 2(1): 46, 48.
- KOENIGER, W. 1981. A new *Trisetella* from Peru (Orchidaceae). 5(3–4): 296.
- KRESS, W. J. 1986. A symposium: The Biology of Tropical Epiphytes. 9(1): 1.
- . 1986. The systematic distribution of vascular epiphytes: an update. 9(1): 2–22.
- . 1986. New heliconias (Heliconiaceae) from Panama. 9(1): 156–166.
- LELLINGER, D. B. 1978. Rio Palenque fern notes. 2(2–3): 283–285.
- LONGINO, J. T. 1986. Ants provide substrate for epiphytes. 9(1): 100–103.
- LUER, C. A. 1975. Icones Pleurothallidarum (Orchidaceae), *Pleurothallis* of Ecuador I. 1(1): 56–100.
- . 1975. Icones Pleurothallidarum (Orchidaceae), *Pleurothallis* of Ecuador II. 1(2): 172–195.
- . 1975. Icones Pleurothallidarum (Orchidaceae), *Pleurothallis* of Mexico and Central America I. 1(2): 196–211.
- . 1975. Icones Pleurothallidarum (Orchidaceae), *Pleurothallis* of Ecuador I, addenda et corrigenda. 1(2): 212.
- . 1975. Icones Pleurothallidarum (Orchidaceae), new discoveries in *Acostaea*. 1(3): 213–217.
- . 1975. Icones Pleurothallidarum (Orchidaceae), *Physothallis*. 1(3): 218–219.
- . 1975. Icones Pleurothallidarum (Orchidaceae), *Pleurothallis* of Ecuador III. 1(3): 220–303.
- . 1975. Icones Pleurothallidarum (Orchidaceae), *Pleurothallis* of Mexico and Central America II. 1(3): 304–323.
- . 1976. Icones Pleurothallidarum (Orchidaceae), *Pleurothallis* of Ecuador IV. 1(4): 410–425.
- . 1976. Icones Pleurothallidarum (Orchidaceae), addenda et corrigenda. 2(3): 324; 2(4): 426.
- . 1976. Icones Pleurothallidarum (Orchidaceae), *Dresslerella*, a new genus in the Pleurothallidinae. 3(1–2): 1–9.
- . 1976. Icones Pleurothallidarum (Orchidaceae), miscellaneous new species in *Barbosella*, *Lepanthes*, *Masdevallia*, *Platystele*, and *Scaphosepalum*. 3(1–2): 10–37.
- . 1976. Icones Pleurothallidarum (Orchidaceae), miscellaneous species of *Pleurothallis*. 3(1–2): 38–201.
- . 1976. Icones Pleurothallidarum (Orchidaceae), addenda et corrigenda. 3(1–2): 202.
- . 1977. Icones Pleurothallidarum (Orchidaceae), miscellaneous species in the Pleurothallidinae: addenda et corrigenda, *Barbosella*, *Masdevallia*, *Physothallis*, *Platystele*, *Pleurothallis*. 3(3–4): 203–407.
- . 1977. Index to the genera and species of Pleurothallidinae in Volume I and Volume III. 3(3–4): 408–412.
- . 1978. Icones Pleurothallidarum (Orchidaceae), *Andreettaea*, a new genus in the Pleurothallidinae. 2(2–3): 183–184.
- . 1978. Icones Pleurothallidarum (Orchidaceae), additions to the genus *Dresslerella*. 2(2–3): 185–189.
- . 1978. Icones Pleurothallidarum (Orchidaceae), *Dracula*, a new genus in the Pleurothallidinae. 2(2–3): 190–198.
- . 1978. Icones Pleurothallidarum (Orchidaceae), *Restrepiopsis*, a new genus in the Pleurothallidinae. 2(2–3): 199–204.
- . 1978. Icones Pleurothallidarum (Orchidaceae), new combinations in *Triaristella*. 2(2–3): 205–206.
- . 1978. Icones Pleurothallidarum (Orchidaceae), *Dryadella*, a new genus in the Pleurothallidinae. 2(2–3): 207–209.
- . 1978. Icones Pleurothallidarum (Orchidaceae), miscellaneous new species and combinations in the Pleurothallidinae. 2(4): 367–390.
- . 1978. Icones Pleurothallidarum (Orchidaceae), addenda et corrigenda. 2(4): 391.
- . 1979. Miscellaneous new species in the Pleurothallidinae (Orchidaceae). 5(2): 145–194.
- . 1981. *Epidendrum troxalis*, a new species from Ecuador (Orchidaceae). 5(3–4): 385.
- . 1981. *Barbrodia*, a new genus in the Pleurothallidinae (Orchidaceae). 5(3–4): 386–387.
- . 1981. A re-evaluation of the genus *Physosiphon* (Orchidaceae). 5(3–4): 388.
- . 1981. Miscellaneous new species in the Pleurothallidinae (Orchidaceae). 5(3–4): 389–390.
- . 1982. A reevaluation of the genus *Myoxanthus* (Orchidaceae). 7(1): 34–54.
- . 1982. *Ophidion* and *Zootrophion*, two new genera in the Pleurothallidinae (Orchidaceae). 7(1): 79–87.
- . 1982. Miscellaneous new species and combinations in the Pleurothallidinae (Orchidaceae). 7(1): 100–128.
- . 1984. Addendum & erratum. 7(2–4): 353.
- AND R. ESCOBAR R. 1982. New species and combinations in *Dracula* and *Masdevallia* (Orchidaceae) from Colombia and Venezuela. 7(1): 64–78.
- LUTHER, H. E. 1981. Miscellaneous new taxa of Bromeliaceae (I). 5(3–4): 310–314.
- . 1982. Miscellaneous new taxa of Bromeliaceae (II). 7(1): 90–93.
- . 1984. Miscellaneous new taxa of Bromeliaceae (IV). 7(2–4): 348–353.
- . 1986. A new species of *Guzmania* (Bromeliaceae) from western Ecuador. 9(1): 187–188.
- . 1988. New taxa of Bromeliaceae (V). 10(1): 56–59.
- MADISON, M. 1976. *Alloschemone* and *Scindapsus* (Araceae). 1(4): 325–327.
- . 1976. A new species of *Rhodospatha* (Araceae). 1(4): 328–329.

- . 1977. Vascular epiphytes: their systematic occurrence and salient features. 2(1): 1–13.
- . 1977. New aroids from western Ecuador. 2(1): 21–25.
- . 1978. The species of *Anthurium* with palmately divided leaves. 2(2–3): 239–282.
- . 1978. A new *Anthurium* from western Ecuador. 2(2–3): 286–287.
- . 1978. A new *Anthurium* from eastern Ecuador. 5(1): 94.
- . 1979. Additional observations on ant-gardens in Amazonas. 5(2): 107–115.
- . 1979. Distribution of epiphytes in a rubber plantation in Sarawak. 5(2): 207–213.
- . 1981. Notes on *Caladium* (Araceae) and its allies. 5(3–4): 342–377.
- MORI, S. A. 1978. *Gustavia dodsonii* (Lecythidaceae), a new species from Rio Palenque, Ecuador. 2(2–3): 37–38.
- MURRELL, J. T., N. H. WILLIAMS, A. M. PRIDGEON, AND C. H. DODSON. 1981. Floral fragrances in *Angraecum* (Orchidaceae). 5(3–4): 286–290.
- NADKARNI, N. M. 1986. The nutritional effects of epiphytes on host trees with special reference to alteration of precipitation chemistry. 9(1): 44–51.
- NEVLING, L. I. 1978. A new species of *Daphnopsis* (Thymeleaceae) from Ecuador. 2(2–3): 308–309.
- NEWTON, G. D. AND N. H. WILLIAMS. 1978. Pollen morphology of the Cyripedioideae and the Apostasioideae (Orchidaceae). 2(2–3): 169–182.
- PABST, G. F. J. 1978. An illustrated key to the species of the genus *Mormodes* Lindl. (Orchidaceae). 2(2–3): 149–155.
- PFEIFER, H. W. 1977. A new Ecuadorian dutchman's-pipe, *Aristolochia pichinchensis*. 2(1): 29–30.
- PILZ, G. E. 1977. Two large-leaved species of *Pouteria* (Sapotaceae) from Ecuador. 2(1): 60–62.
- PRIDGEON, A. M. 1981. Shoot anatomy of two additional species of *Dresslerella* (Orchidaceae). 5(3–4): 274–278.
- . 1984. On the integrity of *Restreplopsis* (Orchidaceae). 7(2–4): 312–314.
- AND W. L. STERN. 1982. Vegetative anatomy of *Myoxanthus* (Orchidaceae). 7(1): 55–63.
- AND N. H. WILLIAMS. 1979. Anatomical aspects of *Dresslerella* (Orchidaceae). 5(2): 120–134.
- PUTZ, F. E. AND N. M. HOLBROOK. 1986. Notes on the natural history of hemiepiphytes. 9(1): 61–69.
- RENNER, S. S. 1986. The neotropical epiphytic Melastomataceae: phylogeographic patterns, fruit types, and floral biology. 9(1): 104–111.
- ROMERO, G. A. 1986. A new species of *Coryanthes* from southern Venezuela (Orchidaceae). 9(1): 147–148.
- . 1988. A new *Catasetum* from southern Venezuela (Orchidaceae). 10(1): 73–75.
- SAULEDA, R. P. AND R. M. ADAMS. 1978. A new species of *Encyclia* Hook. (Orchidaceae) from the Caicos Islands, B.W.I. 2(4): 340–342.
- SAYLOR, W. R. 1978. The first intergeneric hybrid between *Codonanthe* and *Nematanthus* (Gesneriaceae). 5(1): 1–3.
- SIEGERIST, E. S. 1984. Herbarium specimens of the Orchidaceae of mid-Central America—a checklist. 7(2–4): 281–311.
- SKOG, L. E. 1982. New Gesneriaceae from Peru and Ecuador. 7(1): 94–99.
- . 1984. A review of chromosome numbers in the Gesneriaceae. 7(2–4): 252–273.
- SPELLMAN, D. L. 1977. A new *Fischeria* (Asclepiadaceae). 2(1): 26–28.
- SUGDEN, A. M. 1981. Aspects of the ecology of vascular epiphytes in two Colombian cloud forests. 5(3–4): 264–273.
- TAN, K. W. 1975. Taxonomy of *Arachnis*, *Armadorum*, *Esmeralda*, and *Dimorphorchis* (Orchidaceae), part I. 1(1): 1–15.
- . 1976. Taxonomy of *Arachnis*, *Armadorum*, *Esmeralda*, and *Dimorphorchis* (Orchidaceae), part II. 1(4): 365–373.
- VERMEULEN, J. J. 1982. A provisional checklist of the continental African taxa of the genus *Bulbophyllum* Thouars (Orchidaceae). 7(1): 10–19.
- . 1982. New species and combinations in the genus *Bulbophyllum* Thouars (Orchidaceae). 7(1): 20–26.
- WALTERS, T. W. 1988. Electrophoretic evidence for the evolutionary relationship of the tetraploid *Chenopodium berlandieri* to its putative diploid progenitors. 10(1): 36–55.
- WASSHAUSEN, D. C. 1977. New taxa of Acanthaceae from the Rio Palenque Science Center. 2(1): 14–21.
- WATSON, J. B., W. J. KRESS, AND C. S. ROESEL. 1988. A bibliography of biological literature on vascular epiphytes. 10(1): 1–23.
- WIEHLER, H. 1975. *Neomortonia*, a new genus in the Gesneriaceae. 1(1): 16–21.
- . 1975. The re-establishment of *Moussonia* Regel (Gesneriaceae). 1(1): 22–31.
- . 1975. Name changes in neotropical Gesneriaceae. 1(1): 32–35.
- . 1975. Three new species of *Trichantha* from Ecuador and Peru (Gesneriaceae). 1(1): 36–43.
- . 1975. *Rufodorsia*, a new Central-American genus in the Gesneriaceae. 1(2): 138–149.
- . 1975. *Besleria* L. and the re-establishment of *Gasteranthus* Benth. (Gesneriaceae). 1(2): 150–156.
- . 1975. *Codonanthe luteola* (Gesneriaceae), a new species from Panama. 1(2): 157–164.
- . 1975. *Nautilocalyx cataractarum* (Gesneriaceae), a new species from Angel Falls, Venezuela. 1(2): 165–167.
- . 1976. A report of the classification of *Achimenes*, *Eucondonia*, *Gloxinia*, *Goyazia*, and *Anetanthus* (Gesneriaceae). 1(4): 374–404.
- . 1976. New hybrid genera in the Gesneriaceae. 1(4): 405–409.
- . 1977. New genera and species of Gesneriaceae from the neotropics. 2(1): 67–132.
- . 1978. *Parakohleria*, a new South American genus in the Gesneriaceae. 5(1): 4–10.
- . 1978. The genera *Episcia*, *Alsobia*, *Nautilocalyx* and *Paradrymonia* (Gesneriaceae). 5(1): 11–60.
- . 1978. Miscellaneous transfers and new species of neotropical Gesneriaceae. 5(1): 61–93.
- . 1979. Two new species of *Codonanthe* (Gesneriaceae). 5(2): 214–216.

- . 1979. A reduction of *Pterobesleria* to *Besleria* (Gesneriaceae). 5(2): 217-218.
- . 1981. New species and name changes in neotropical Gesneriaceae. 5(3-4): 378-384.
- . 1983. A synopsis of the neotropical Gesneriaceae. 6(1-4): 1-219.
- . 1984. Miscellaneous new species in the Gesneriaceae. 7(2-4): 328-347.
- WILBUR, R. L. 1986. The vascular flora of La Selva Biological Station, Costa Rica: introduction. 9(1): 191.
- WILLIAMS, N. H. 1978. Pollen structure and the systematics of the neotropical Gesneriaceae. 2(2-3): 310-322.
- . 1978. A preliminary bibliography on euglossine bees and their relationships with orchids and other plants. 2(4): 345-355.
- . 1981. Floral fragrance components of *Brasavola* (Orchidaceae). 5(3-4): 279-285.
- , J. T. ATWOOD, AND C. H. DODSON. 1979. Floral fragrance analysis in *Anguloa*, *Lycaste* and *Mendoncella* (Orchidaceae). 5(3-4): 291-295.
- AND R. L. DRESSLER. 1976. Euglossine pollination of *Spathiphyllum* (Araceae). 1(4): 349-356.
- , M. W. WHITTEN, AND C. H. DODSON. 1984. Preliminary analyses of the floral fragrances of species of *Acineta*, *Houlletia*, *Lueddemanniana*, *Lycomormium*, *Paphinia* and *Sievekingia* (Orchidaceae). 7(2-4): 315-317.
- WORLEY, P. J. 1979. × *Niphimenes* (*Niphaea* × *Achimenes*); a new hybrid combination in the Gesneriaceae. 5(2): 195-196.