




*Mesadenella tonduzii* (Schltr.) Pabst & Garay CA-M-N\*




*Mesospinidium warszewiczii* Rchb.f. CR-N\*-P




*Microthelys rubrocallosa* (Robins. & Greenm.) Garay G\*-M




*Miltonioides pauciflora* (L.O.Wms.) Hamer & Garay ES\*-H-N




*Miltonioides stenoglossa* (Schltr.) Brieger & Lueckel CR-ES\*-G-M



*Monophyllorchis microstyloides* (Rchb. f.) Garay N\*-SA




*Mormodes aromatica* Lindl. ES\*-H-M




*Mormodes buccinator* Lindl. G-H-M-N\*-SA






*Mormodes horichii* Fowlie CR-N\*




*Mormodes salvadorensis* Hamer & Garay ES\*




Diferentes formas del labelo  
Different forms of lips  
Verschiedene Lippenformen




*Mormodes salvadorensis* Hamer & Garay ES\*




*Mormodes warszewiczii* Kl. ES\*-G-M




*Mormolyca ringens* (Lindl.) Schltr. CA-M-O-ES\*



*Myoxanthus octomeriae* (Schltr.) Luer CR-N\*-P




*Myoxanthus trachychlamys* (Schltr.) Luer CR-N\*-P-SA




*Myrmecolaelia fuchsii* Hamer N\*






H.2922


*Myrmecophila brysiana* (Lem.) Kennedy G-H-N\*-O




*Myrmecophila tibicinis* (Batem.) Rolfe CR-G-H-M-N-O




*Myrmecophila wendlandii* (Rchb.f.) Kennedy G-H-N\*




*Nageliella angustifolia* (Booth ex Lindl.) Ames & Correll ES\*-G




*Nageliella purpurea* (Lindl.) L.O.Wms. ES\*-G-H-M-N



*Nanodes discolor* Lindl. CR-G-H-M-N\*-P-SA




*Neolehmannia barbeyana* (Krzl.) Garay & Dunsterville CR-N\*-SA




*Neolehmannia curvicolonna* (Schltr.) Hamer N\*-P







*Neolehmannia difformis* (Jacq.) Pabst CA-M-O-P-SA-US-ES\*




*Neolehmannia difformis* (Jacq.) Pabst CA-M-O-P-SA. -US-N\*



*Neolehmannia porpax* (Rchb.f.) Garay & Dunsterville CR-G-H-M-N\*-P-SA




*Neourbania nicaraguensis* Hamer & Garay CR-N\*




*Nidema boothii* (Lindl.) Schltr. CA-M-O-P-SA-ES\*


H. 7226.



*Nidema boothii* (Lindl.) Schltr. CA-M-O-P-SA-N\*




*Nidema ottonis* (Rchb.f.) Brit. & Milsp. N\*-O-P-SA




*Notylia tridachne* Lindl. ES\*-G-M






*Notylia trisepala* Lindl. ES\*-G-N



H. 7011.


*Octomeria graminifolia* (L.) R.Br. N\*-O



*Octomeria surinamensis* Focke N\*-O-SA




*Octomeria valerioi* Ames & Schweinf. CR-N\*



*Oerstedella aberrans* (Schltr.) Hamer CA-P-N\*


H. 8819.



*Oerstedella centradenia* Rchb.f. CR-N\*-P




*Oerstedella centropetala* (Rchb.f.) Rchb.f. CR-ES\*-G-H-P



*Oerstedella myriantha* (Lindl.) Hamer & Garay ES\*-G-H-M







*Oerstedella pansamalae* (Schltr.) Hagsater CR-G-N\*




*Oerstedella schweinfurthiana* (Correll) Hamer & Garay ES\*-G




*Oerstedella verrucosa* (Sw.) Hamer & Garay ES-G-H-M-N\*-O-SA




*Oerstedella verrucosa* (Sw.) Hamer & Garay ES\*-G-H-M-N-O-SA




*Oerstedella spec. N\**



*Oncidium altissimum* (Jacq.) Sw. CA-M-O-SA-US




*Oncidium ampliatum* Lindl. CA-O-P-SA-ES\*




H.1023.

*Oncidium ascendens* Lindl. CA-M-O-N\*





*Oncidium aurisasinorum* Standley & L.O.Wms. ES\*-H-N



*Oncidium bicallousum* Lindl. ES\*-G-M